

L Number	Hits	Search Text	DB	Time stamp
1	4	("5805699" "6397333").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 13:29
-	4	("5883958" "5915018").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:55
-	12	5915018.URPN.	USPAT	2004/01/14 16:33
-	41379	(secur\$4 near2 (drive or stor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:52
-	24303	(secur\$4 adj (drive or stor\$4 or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:52
-	121	(secur\$4 adj (drive or stor\$4 or disk)) with ((secur\$4 near3 communicat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:53
-	72	(secur\$4 adj (drive or stor\$4 or disk)) with ((secur\$4 near3 communicat\$4)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:20
-	1652	((client or computer or server or drive) adj (id or identifier)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:06
-	9	((client or computer or server or drive) adj (id or identifier)) and (generator with key with (id or identifier)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:08
-	9	((client or computer or server or drive) adj (MAC or id or identifier)) and (generator with key with (MAC or id or identifier)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:14
-	118	((client or computer or server or drive) adj (MAC or id or identifier)) and ((generat\$4 with key)same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:19
-	259	((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 with key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:21

-	58	((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 with key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 adj (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:21
-	142	((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 with key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:23
-	122	((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:36
-	170	((client or computer or server or drive or device or user) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:36
-	48	((client or computer or server or drive or device or user) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630) not (((client or computer or server or drive or device) adj (MAC or id or identifier or key)) and ((generat\$4 near3 key) same (MAC or id or identifier)) and ((encrypt\$4 or encipher\$4 or authenticat\$4 or cod\$4) with (text or message or data) with (receiv\$4 or send\$4 or request\$4)) and (secur\$4 near3 (drive or stor\$4 or disk)) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:37
-	6	("6570989" "6658566" "6523117").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:58
-	213	((drive or media or medium or device) adj (ID or identifier)) and ((drive or media or medium or device) adj (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:01

-	55	((drive or media or medium or device) adj (ID or identifier)) with((drive or media or medium or device) adj (key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:01
-	5	((drive or media or medium or device) adj (ID or identifier)) with ((drive or media or medium or device) adj (key)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:20
-	31	((drive or media or medium or device) adj (ID or identifier)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:39
-	146	((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:06
-	144	((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:58
-	30	(((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:01
-	1	(reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:04
-	3	(reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:18
-	0	((reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:07

-	3	((reply or response) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:07
-	241	(((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with ((drive or media or medium or device) adj (key)) or ((private or master or secret) adj (key))) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:16
-	13	((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)) and ((authenticat\$4 or verif\$4 or validat\$4) with ((encrypt\$4 or encipher\$4) near2 (message or content or data or text)) with ((drive or media or medium or device) adj (key)) or ((private or master or secret) adj (key))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:16
-	13	(reply or response or sen\$2) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:18
-	21	(reply\$4 or response or sen\$4) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:19

-	8	(((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)) and ((authenticat\$4 or verif\$4 or validat\$4) with ((encrypt\$4 or encipher\$4) near2 (message or content or data or text)) with (((drive or media or medium or device) adj (key)) or ((private or master or secret) adj (key)))) and ((reply\$4 or response or sen\$4) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:19
-	17	(((((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)) and ((authenticat\$4 or verif\$4 or validat\$4) with ((encrypt\$4 or encipher\$4) near2 (message or content or data or text))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 18:39
-	18	"5931947"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:03
-	13	((reply or response or sen\$2) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and ((reply\$4 or response or sen\$4) with (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:49
-	151	((client or computer or server or drive) adj (MAC or id or identifier)) and ((generat\$4 with key)same (MAC or id or identifier)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:21
-	21	((client or computer or server or drive) adj (MAC or id or identifier)) same ((generat\$4 with key)same (MAC or id or identifier)) same ((secure or private or secret) adj key)and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:24
-	48	((client or computer or server or drive) adj (MAC or id or identifier)) same ((generat\$4 with key)same (MAC or id or identifier)) same (key)and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:24

-	27	((client or computer or server or drive) adj (MAC or id or identifier)) same ((generat\$4 with key)same (MAC or id or identifier)) same (key)and @ad<20000630) not ((client or computer or server or drive) adj (MAC or id or identifier)) same ((generat\$4 with key)same (MAC or id or identifier)) same ((secure or private or secret) adj key)and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:24
-	41	((client or computer or server or drive) adj (id or identifier)) and (generator with key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:28
-	2	5805699.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:28
-	241	((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with ((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:29
-	33	((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with ((drive or media or medium or device) adj (key)) or (private or master or secret) adj key) and @ad<20000630) and (((drive or media or medium or device) adj (ID or identifier)) or ((serial or manufacture\$1) adj number)) with (encrypt\$4 near2 (message or content or data)) and @ad<20000630)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 12:30